

Application No. 09/445,289  
Supplemental Amendment dated October 29, 2007

Docket No. 60261(49946)

RECEIVED  
CENTRAL FAX CENTER

OCT 29 2007

**AMENDMENTS TO THE CLAIMS**

Please amend claims 126 and 144 and please cancel without prejudice or disclaimer claims 132-134 and 145-147. The following listing of claims will replace all prior versions, and listings, of claims in the application.

**Claims 1-125 (Canceled)**

126. (Currently Amended) A method for resuscitating dormant, moribund or latent bacterial cells comprising, contacting the bacterial cells with an isolated polypeptide selected from the group consisting of:

i) a polypeptide comprising at least 50% identity with amino acid residues 117 to 184 of SEQ ID NO:2;

ivii) a polypeptide comprising at least 20% identity with SEQ ID NO:2; and

viii) a polypeptide comprising at least amino acid residues 117 to 184 of SEQ ID NO:2.

127. (Previously presented) The method of claim 126, wherein the polypeptide is recombinant.

128. (Previously Presented) The method of claim 126 or 127, wherein said bacterial cell is present in a sample, and the method identifies a microbial infection in the sample.

129. (Previously Presented) The method of claim 128, wherein the cell is present in a patient.

130. (Previously presented) The method of claim 126 or 127, wherein said polypeptide is in a pharmaceutically acceptable carrier suitable for local or systemic administration.

Application No. 09/445,289  
Supplemental Amendment dated October 29, 2007

Docket No. 60261(49946)

131. (Previously presented) The method of claim 126 or 127, wherein the polypeptide is in unit dosage form.

Claims 132 – 134 (Canceled)

135. (Withdrawn) A method for resuscitating dormant, moribund or latent bacterial cells comprising, contacting the bacterial cells with an antibody or functional fragment thereof that binds a polypeptide selected from the group consisting of:

- i) a polypeptide comprising at least 50% identity or homology with amino acid residues 117 to 184 of SEQ ID NO: 2
- ii) a polypeptide comprising at least 50% homology with amino acid residues 224 to 318 of SEQ ID NO: 11;
- iii) a polypeptide comprising the amino acid sequence of SEQ ID NO: 43;
- iv) a polypeptide comprising at least 20% identity or homology with amino acid residues 117 to 184 of SEQ ID NO: 2; and
- v) a polypeptide homologue, allelic form, species variant or mutein comprising at least 50% identity or homology with amino acid residues 117 to 184 of SEQ ID NO: 2.

136. (Withdrawn) The method of claim 135, wherein the antibody is suitable for use in therapy, diagnosis, or prophylaxis of a microbial infection.

137. (Withdrawn) The method of claim 136, wherein the therapy is an immunotherapy.

138. (Withdrawn) The method of claim 136, wherein the antibody is in a pharmaceutically acceptable carrier suitable for local or systemic administration.

139. (Withdrawn) The method of claim 136, wherein the antibody is in unit dosage form.

Claims 140 - 143 (Canceled)

144. (Currently Amended) A method for resuscitating dormant, moribund or latent

Application No. 09/445,289  
Supplemental Amendment dated October 29, 2007

Docket No. 60261(49946)

bacterial cells comprising, contacting the bacterial cells with a cell strain expressing a nucleic acid encoding a polypeptide comprising a sequence selected from the group consisting of:

- i) a polypeptide comprising at least 50% identity with amino acid residues 117 to 184 of SEQ ID NO: 2;
- ivii) a polypeptide comprising at least 20% identity with SEQ ID NO: 2; and
- viii) a polypeptide comprising at least amino acid residues 117 to 184 of SEQ ID NO: 2.

Claims 145 - 147 (Canceled)

148. (Previously Presented) The method of claim 126, wherein the isolated polypeptide comprises at least 90% identity with amino acid residues 117 to 184 of SEQ ID NO:2.

149. (Previously Presented) The method of claim 126, wherein the isolated polypeptide comprises at least 95% identity with amino acid residues 117 to 184 of SEQ ID NO:2.

150. (Previously Presented) The method of claim 126, wherein the isolated polypeptide comprises amino acid residues 117 to 184 of SEQ ID NO:2.

151. (Previously Presented) A method for stimulating the growth of a bacterial cell comprising, contacting the bacterial cells with the isolated polypeptide of SEQ ID NO:2.

152. (Previously Presented) A method for resuscitating dormant, moribund or latent bacterial cells comprising, contacting the bacterial cells with an isolated *M. luteus* RF-factor polypeptide (SEQ ID NO:35), thereby resuscitating the dormant, moribund, or latent bacterial cells.

Application No. 09/445,289  
Supplemental Amendment dated October 29, 2007

Docket No. 60261(49946)

153. (Previously Presented) A method for resuscitating dormant, moribund or latent bacterial cells comprising, contacting the bacterial cells with an isolated polypeptide comprising at least 85% identity with SEQ ID NO:2.

154. (Previously Presented) The method of claim 153, wherein the polypeptide comprises at least 90% identity with SEQ ID NO:2.

155. (Previously Presented) The method of claim 154, wherein the polypeptide comprises at least 95% identity with SEQ ID NO:2.

156. (Previously Presented) The method of claim 155, wherein the polypeptide consists of SEQ ID NO:2.